

- High flesh quality and gutted weight ratio
- High in animal protein and free from soya
- Good for restocking and angling purposes



### COMPOSITION:

Analyses (%)	3.0 mm	4.5-6.0 mm
Protein	46	46
Fat	20	22
Crude fibre	0.9	0.8
Ash	8.6	8.7
Total P	1.25	1.25

### Vitamins added

Vitamin A (IE/kg)	18700	18700
Vitamin E (mg/kg)	200	200
Vitamin C (stable) (mg/kg)	325	325

### Energy (MJ/kg)

Gross Energy	22.0	22.4
Digestible Energy	20.1	20.5


### FEEDING TABLE FOR LOW FEED CONVERSION RATIO (FCR):

Fish weight (g)	Feed size (mm)	< 6 °C	6 °C	8 °C	10 °C	12 °C	14 °C	16 °C	18 °C	> 18 °C
15-25	3.0	According to fish's appetite	0.75	1.15	1.50	1.60	1.60	1.50	1.25	According to fish's appetite and O2 level
25-70	3.0		0.70	1.05	1.35	1.45	1.45	1.35	1.10	
70-200	4.5	According to fish's appetite	0.60	0.85	1.00	1.10	1.10	1.05	0.90	According to fish's appetite and O2 level
200-400	4.5		0.50	0.70	0.80	0.90	0.90	0.85	0.70	
400-700	6.0	According to fish's appetite	0.40	0.65	0.75	0.85	0.85	0.80	0.65	According to fish's appetite and O2 level
700-1000	6.0		0.40	0.60	0.70	0.80	0.80	0.75	0.60	

\* The feeding advice is expressed in % biomass/day.

\* This feeding table is a guideline only and based on optimal conditions.

### ECOLOGICAL FIGURES:



The values of the nutrients and vitamins are from the time of writing.

These values can vary due to natural variation in the ingredients. We reserve the right to change our recipe.

For the exact values we refer to the label.